

PLACES: Local Data for Better Health Compare Counties Report



+ Health Outcomes			
Measure	Data Type	United States 2018 Population Estimate: 327,167,434	Greene, IL 2018 Population Estimate: 13,044
Arthritis among adults aged >=18 years – 2018	Crude prevalence % (95% CI)	25.8 (25.6 – 26.1)	32.8 (31.2 – 34.3)
	Age-adjusted prevalence % (95% CI)	23.1 (22.9 – 23.3)	27.2 (25.8 – 28.5)
Current asthma among adults aged >=18 years – 2018	Crude prevalence % (95% CI)	9.2 (9.0 – 9.4)	10.0 (9.4 – 10.6)
	Age-adjusted prevalence % (95% CI)	9.1 (9.0 – 9.3)	10.0 (9.4 – 10.7)
High blood pressure among adults aged >=18 years – 2017	Crude prevalence % (95% CI)	32.4 (32.1 – 32.7)	37.3 (35.9 – 38.7)
	Age-adjusted prevalence % (95% CI)	29.7 (29.4 – 30.0)	31.7 (30.5 – 33.0)
Cancer (excluding skin cancer) among adults aged >=18 years – 2018	Crude prevalence % (95% CI)	6.9 (6.7 – 7.0)	8.3 (7.8 – 8.7)
	Age-adjusted prevalence % (95% CI)	6.0 (5.9 – 6.2)	6.5 (6.2 – 6.9)
High cholesterol among adults aged >=18 years who have been screened in the past 5 years – 2017	Crude prevalence % (95% CI)	34.1 (33.8 – 34.4)	38.7 (37.5 – 39.9)
	Age-adjusted prevalence % (95% CI)	29.3 (29.0 – 29.7)	31.1 (30.2 – 32.1)
Chronic kidney disease among adults aged >=18 years – 2018	Crude prevalence % (95% CI)	3.1 (3.0 – 3.2)	3.3 (3.1 – 3.6)
	Age-adjusted prevalence % (95% CI)	2.8 (2.7 – 2.9)	2.7 (2.5 – 2.9)
Chronic obstructive pulmonary disease among adults aged >=18 years – 2018	Crude prevalence % (95% CI)	6.9 (6.7 – 7.0)	10.0 (8.5 – 11.4)
	Age-adjusted prevalence % (95% CI)	6.2 (6.0 – 6.3)	8.4 (7.3 – 9.4)
Coronary heart disease among adults aged >=18 years – 2018	Crude prevalence % (95% CI)	6.8 (6.7 – 7.0)	8.6 (7.7 – 9.4)
	Age-adjusted prevalence % (95% CI)	5.9 (5.8 – 6.1)	6.6 (6.0 – 7.2)
Diagnosed diabetes among adults aged >=18 years – 2018	Crude prevalence % (95% CI)	11.4 (11.2 – 11.6)	11.9 (10.8 – 12.8)
	Age-adjusted prevalence % (95% CI)	10.0 (9.8 – 10.2)	9.5 (8.8 – 10.2)
Mental health not good for >=14 days among adults aged >=18 years – 2018	Crude prevalence % (95% CI)	12.7 (12.5 – 12.9)	14.4 (13.1 – 15.7)
	Age-adjusted prevalence % (95% CI)	12.9 (12.7 – 13.1)	15.4 (13.9 – 16.8)
Physical health not good for >=14 days among adults aged >=18 years – 2018	Crude prevalence % (95% CI)	12.5 (12.3 – 12.7)	14.6 (13.2 – 16.1)
	Age-adjusted prevalence % (95% CI)	11.8 (11.6 – 12.0)	13.2 (11.9 – 14.5)

All teeth lost among adults aged >=65 years – 2018	Crude prevalence % (95% CI)	13.5 (13.1 – 13.9)	16.1 (11.0 – 21.9)
	Age-adjusted prevalence % (95% CI)	13.9 (13.5 – 14.3)	16.3 (11.1 – 22.1)
Stroke among adults aged >=18 years – 2018	Crude prevalence % (95% CI)	3.4 (3.3 – 3.5)	4.1 (3.6 – 4.6)
	Age-adjusted prevalence % (95% CI)	3.0 (2.9 – 3.1)	3.2 (2.9 – 3.6)

+ Prevention

Measure	Data Type	United States 2018 Population Estimate: 327,167,434	Greene, IL 2018 Population Estimate: 13,044
Current lack of health insurance among adults aged 18-64 years – 2018	Crude prevalence % (95% CI)	12.2 (11.9 – 12.4)	13.3 (11.1 – 15.8)
	Age-adjusted prevalence % (95% CI)	13.1 (12.9 – 13.4)	14.1 (11.7 – 16.9)
Visits to doctor for routine checkup within the past year among adults aged >=18 years – 2018	Crude prevalence % (95% CI)	76.7 (76.4 – 76.9)	75.3 (74.3 – 76.2)
	Age-adjusted prevalence % (95% CI)	75.1 (74.8 – 75.4)	72.2 (71.0 – 73.3)
Visits to dentist or dental clinic among adults aged >=18 years – 2018	Crude prevalence % (95% CI)	66.5 (66.2 – 66.8)	61.2 (57.5 – 65.1)
	Age-adjusted prevalence % (95% CI)	66.2 (65.9 – 66.6)	60.6 (56.7 – 64.5)
Taking medicine for high blood pressure control among adults aged >=18 years with high blood pressure – 2017	Crude prevalence % (95% CI)	75.8 (75.3 – 76.3)	77.4 (76.2 – 78.6)
	Age-adjusted prevalence % (95% CI)	56.2 (55.5 – 56.9)	56.2 (54.9 – 57.4)
Cholesterol screening among adults aged >=18 years – 2017	Crude prevalence % (95% CI)	81.5 (81.2 – 81.7)	81.9 (80.2 – 83.4)
	Age-adjusted prevalence % (95% CI)	80.3 (80.0 – 80.6)	78.6 (76.7 – 80.5)
Mammography use among women aged 50-74 years – 2018	Crude prevalence % (95% CI)	74.8 (74.2 – 75.3)	69.5 (64.6 – 74.2)
	Age-adjusted prevalence % (95% CI)	77.8 (77.2 – 78.5)	69.4 (64.2 – 74.4)
Cervical cancer screening among adult women aged 21-65 years – 2018	Crude prevalence % (95% CI)	84.7 (84.2 – 85.2)	81.8 (78.8 – 84.4)
	Age-adjusted prevalence % (95% CI)	85.5 (85.0 – 86.0)	82.5 (79.6 – 85.0)
Fecal occult blood test, sigmoidoscopy, or colonoscopy among adults aged 50-75 years – 2018	Crude prevalence % (95% CI)	66.4 (66.0 – 66.9)	63.4 (60.7 – 66.4)
	Age-adjusted prevalence % (95% CI)	65.0 (64.5 – 65.5)	61.8 (58.9 – 64.8)
Older adult men aged >=65 years who are up to date on a core set of clinical preventive services: Flu shot past year, PPV shot ever, Colorectal cancer screening – 2018	Crude prevalence % (95% CI)	32.4 (31.6 – 33.2)	33.1 (26.3 – 41.0)
	Age-adjusted prevalence % (95% CI)	32.7 (31.9 – 33.6)	25.5 (20.6 – 30.5)
Older adult women aged >=65 years who are up to date on a core set of clinical preventive services: Flu shot past year, PPV shot ever, Colorectal cancer screening, and Mammogram past 2 years – 2018	Crude prevalence % (95% CI)	28.4 (27.6 – 29.1)	27.8 (20.8 – 35.9)
	Age-adjusted prevalence % (95% CI)	28.1 (27.4 – 28.8)	20.6 (15.6 – 25.9)

+ Unhealthy Behaviors

Measure	Data Type	United States 2018 Population Estimate: 327,167,434	Greene, IL 2018 Population Estimate: 13,044
Binge drinking among adults aged >=18 years – 2018	Crude prevalence % (95% CI)	16.4 (16.2 – 16.7)	18.8 (17.8 – 19.8)
	Age-adjusted prevalence % (95% CI)	17.5 (17.2 – 17.8)	21.5 (20.4 – 22.6)
Current smoking among adults aged >=18 years – 2018	Crude prevalence % (95% CI)	15.5 (15.3 – 15.8)	22.1 (19.2 – 24.7)
	Age-adjusted prevalence % (95% CI)	15.9 (15.7 – 16.2)	23.4 (20.3 – 26.3)
No leisure-time physical activity among adults aged >=18 years – 2018	Crude prevalence % (95% CI)	24.2 (24.0 – 24.5)	29.3 (26.3 – 32.1)
	Age-adjusted prevalence % (95% CI)	23.6 (23.4 – 23.9)	27.5 (24.8 – 30.5)
Obesity among adults aged >=18 years – 2018	Crude prevalence % (95% CI)	30.9 (30.6 – 31.2)	34.7 (32.7 – 36.7)
	Age-adjusted prevalence % (95% CI)	30.9 (30.6 – 31.2)	34.5 (32.5 – 36.5)
Sleeping less than 7 hours among adults aged >=18 years – 2018	Crude prevalence % (95% CI)	35.7 (35.4 – 36.0)	34.2 (32.6 – 35.7)
	Age-adjusted prevalence % (95% CI)	36.2 (35.8 – 36.5)	35.4 (33.7 – 37.0)

Note

United States values are direct survey estimates. County values are model-based small area estimates.

Suggested Citation

Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Division of Population Health. PLACES Project Data [online]. 2020 [accessed Jan 26, 2021]. URL: <https://www.cdc.gov/PLACES>.